

Southern Abstracts Subject Index

A

- Abdominal abscess, cause of, in child with VP shunt, 35
- Academic medical center, modeling the potential impact of Health Care Reform on an, 556
- Accessory cardiac bronchus (ACB), hemoptysis, 257
- Acetaminophin, anaphylaxis, 258
- Achalasia, Kennedy disease (KD), 457
- Acquired cytomegalovirus (CMV) infection, in premature infants less than 30 weeks' gestational age, 231
- Acquired immune deficiency syndrome (AIDS) HIV/AIDS patients, assisting in times of disaster, 185
- nausea, vomiting, and diarrhea in a patient with, case report, 464
- Acrolein, suppression of EPC levels in humans with CVD risk, 3
- ACTH independent macronodular adrenal hyperplasia, Cushing's syndrome due to bilateral, 139
- Actinomycosis, case report on empyema caused by, 12
- Acute agitation, abused a new type of intoxicant, 253
- Acute bodily injury, presence of hypokalemia, hypomagnesemia and ionized hypocalcemia in patients hospitalized with, 98
- Acute calcineurin inhibition, with tacrolimus increases phosphorylation of UT-A1 at serine 486, 271
- Acute central nervous system injury, usefulness of serum procalcitonin in the workup of febrile patients, 366
- Acute diarrhea, in a prednisone dependent, atopic patient, eosinophilic gastroenteritis, 349
- Acute disseminated encephalomyelitis (ADEM), in a patient with acute hepatitis C virus infection, 386
- Acute diverticulitis with eosinophilia, *Strongyloides stercoralis*, case report, 196
- Acute exacerbations of COPD (AECOPD), factors predicting length of stay in patients with, 520
- Acute HIV, challenge of timely diagnosis, and associated infectiousness due to high viral loads, 365
- Acute interstitial nephritis (AIN), associated with the use of an antibiotic-impregnated bone cement spacer (ABCS), 281
- Acute kidney injury (AKI) acute interstitial nephritis associated with the use of an antibiotic-impregnated bone cement spacer (ABCS), 281
- after partial nephrectomy, 277
- urinary biomarkers in predicting patient outcome and renal recovery, 275
- Acute lung injury (ALI), endothelial cell PPAR-gamma knockout exacerbates sepsis, 403
- Acute lymphoblastic leukemia L-arginine depletion by PEG-arginase I, 477
- Acute myocardial infarction (AMI) before and after the storm, Hurricane Katrina, 330
- high risk of, in patients with anterior precordial lead terminal T wave inversion, 117
- Acute pontine infarction, case report on eight-and-a-half syndrome caused by, 17
- Acute renal failure, diagnosis of LCAT, 129
- Acute respiratory failure, chiari malformation type I (CM 1), 255
- Acute stressor states, cation dyshomeostasis, prolonged myocardial repolarization with cardiac arrhythmias and necrosis, 333
- Acutely ill patient, critical concepts, a unique approach to undergraduate education in the care, 381
- Adenocarcinoma, detected by screening colonoscopy, case report, 463
- Adenoma, toxic, papillary thyroid carcinoma in, 143
- Adjuvant therapy, characteristics of de novo stage IV breast cancer presentation and comparison with stage IV disease relapse, 352
- Admissions characteristics of minority applicants, analysis of, 538
- Adolescents acceptance and compliance on HPV vaccination in inner-city indigent male and female, 58
- case report on unusual presentation of *Tinea pedis* in, 44
- the effect of BMI on endothelial function among, 56
- medication adherence among, in pediatric renal clinic, 60
- veno-arterial ECMO in, with mediastinal mass, 34
- Adult bone marrow cell therapy, on cardiac parameters and outcomes, 334
- Aerosols, assessing the safety of a mask designed for efficient delivery, 260
- African-Americans body composition, glucoregulation and energy expenditure in healthy, 136
- case report on TPP in males, 10
- Albuminocytologic dissociation, and autoimmune disorder, pediatric idiopathic intracranial hypertension (IIH), 388
- Aldosterone-mediated MAPK ERK1/2 signal pathway, in regulation of NCC protein expression in response to dietary salt change, 268
- Aldosterone/salt treatment (ALDOST) in rats induces oxidative stress and impaired pancreatic beta cell function, 449
- where cardiac pathology and muscle wasting simulate cachexia and whose origins relate to intracellular Ca^{2+} overloading and oxidative stress, 295, 307
- Aldosteronism and hypocalcemia, idiopathic intracranial hypertension (IIH), 389
- in rats induces oxidative stress and impaired pancreatic beta cell function, 449
- reverse remodeling and the recovery from cachexia in rats, 295, 307
- salvaging myocardium in rats with, nebivolol a beta blocker for, 2
- Alexia without agraphia, and the possible extended visual pathway, 385
- Allogeneic stem cell infusion, acute hemolytic reaction during, 181
- Alopecia, in mice with a novel parathyroid hormone fusion protein, prophylaxis vs. therapy, 443
- Alpha-1-agonists, orthostatic hypotension in revascularized patient with CAD, 36
- Ambulatory Care Clinic, new tool to evaluate internal medicine residents in the, 539
- Ambulatory Care Sensitive Conditions (ACSC), are conditions that could be prevented with adequate access to primary care services, 299
- American Academy of Pediatrics (AAP) guidelines, diagnosis and management of attention deficit/hyperactivity disorder (ADHD), 319
- Amniotic fluid, prevents indomethacin & hydrocortisone mediated inhibition of intestinal epithelial cells, 397
- Anaphylaxis, acetaminophin, 258
- Angioedema with eosinophilia, case report, 170
- recurrent diffuse, Gleich's syndrome in patients with, 71
- Angiotensin converting enzyme 2 in blood pressure and oxidative stress, role of, 523
- Angiotensin converting enzyme inhibitors (ACEI), case report on use of, as unexpected causes of hyponatremia, 84
- Angiotensin II (ANG-II) dependent hypertension, dietary salt restriction on systolic blood pressure (SBP), urinary protein excretion, and urine flow in Cyp11a1-Ren2 rats, 267
- dependent malignant hypertension, chronic direct renin, inhibition improves renal hemodynamics in CYP1A1-REN2 transgenic rats, 411
- induced hypertension, lack of protein kinase C α leads to impaired urine concentrating ability and decreased aquaporin-2, 416
- induced skeletal muscle wasting (cachexia) and blood pressure increase, differential requirement for NADPH oxidase-and mitochondria-derived superoxides, 336
- induced transient receptor potential cation channel-6 activity in cultured podocytes, protein kinase g negatively regulates, 529
- mediated increase, cyclooxygenase-2, expression in the rat renal inner medulla, activation of the (Pro)renin receptor, 413
- neurohormonal mechanisms of, appetite suppression by altering orexigenic neuropeptide expression in mouse hypothalamus, 97
- promotes papillogenesis during late metanephric development, 290
- reduces satellite cells and suppresses muscle regeneration, 422
- role of endothelin I and, in cardiomyopathy of diabetic patients, 81
- TNF- α receptor type 2, but not type 1, is involved in the renal tissue injury response, 417

- Ankle-brachial index (ABI), calculation of, for peripheral arterial disease in diabetic patients, 86
- Antenatal steroids (ANS), reduce the frequency of patent ductus arteriosus (PDA) in extremely premature infants, 400
- Anterior precordial lead terminal T wave inversion, high risk of acute myocardial infarction in patients with, 117
- Antibiotic-impregnated bone cement spacer (ABCS), acute interstitial nephritis associated with the use, 281
- Antibiotics, comparative effectiveness between intramuscular and intravenous, 543
- Anticipatory guidance (AG), medical and educational intervention for young children and families, 311
- Anti-DNA antibody, production is restricted by the germline composition diversity genes (DH genes), 429
- Anti-glomerular basement membrane (GBM) antibody disease, primarily pulmonary symptoms, 264
- Anti-hypertensive drugs (AHD), hyperkalemia and death in patients with cardiac and renal disease, 272
- Anti-inflammatory interleukins in anesthetized mice, systemic inhibition of nitric oxide synthase reduces plasma levels of, 528
- Anti-inflammatory modulator (AIM), in Diabetic nephropathy (DN), Diferuloylmethane (curcumin), mechanisms of action, 289
- Antiretroviral therapy (ARVs), cumulative risk for selected asymptomatic outcomes at 3 and 6 months in highly stable patients, 368
- Anxiety disorder depression and, due to hypomagnesemia in older woman, 39 family planning and quality of life in inflammatory bowel disease (IBD), 455
- Aorta and severe lactic acidosis, SUCLA2 mutation related mitochondrial depletion syndrome associated with hypoplastic aortic arch, 215
- Aortic endothelial cells, lupus sera alters eNOS function, 431
- Aortic regurgitation, chronic severe, echocardiographic diagnosis of, 113
- Aortic stenosis, idiopathic pulmonary artery hypertension and, in elders, 116
- Aortic thrombus, in isolated intestinal perforation (IIP), preterm infants, 246
- Aorto-atrial fistulas, treatment for percutaneous closure of, 110
- Apolipoprotein A-IV, and microsomal triglyceride transfer protein by enteral feeding in preterm piglet small intestine, 454
- Aquaporin 2 (AQP2) in angiotensin II-induced hypertension, lack of protein kinase C α leads to impaired urine concentrating ability, 416 urea transporters and change differently in nephrotic pair-fed versus non-pair-fed rats, 265
- Aranesp, epoetin-associated pure red cell aplasia (PRCA) after treatment with, case report, 479
- Arnold's nerve, stimulation is a cause of vasovagal syncope, 252
- Arrhythmias, atrial and ventricular, in hypertensive patients with primary aldosteronism, 99
- Arsenic trioxide (ATO), on TGF- β 1-induced fibroblast to myofibroblast differentiation, 405
- Arteriovenous fistula, dural, in a pediatric health supervision visit, 26
- Arthritis, case report on asymmetric, in patient with hidradenitis suppurativa, 16
- Aryl hydrocarbon receptor (AhR), dysfunctional newborn mice are more susceptible to hyperoxia-induced delayed alveolarization, 396
- Asian-American (AA) adolescents, healthcare providers about sexual activity, sexually transmitted infections, and pregnancy prevention, 312
- Asthma education via telemedicine: effects on asthma knowledge and self-efficacy, 329 leukotriene receptor antagonists (LTRA) are inferior to inhaled corticosteroids (ICS) in the management, 316
- Asthmaticus, intramuscular epinephrine for, in children, 47
- Atrial fibrillation with adenosine during a transesophageal electrophysiology, case report, 226 correlation between palpitation and left ventricular ejection fraction in patients with, 82 massive diaphragmatic hernia during pulmonary vein isolation for, 109 spontaneous conversion into sinus rhythm after CRT implantation, 112
- Attention deficit/hyperactivity disorder (ADHD), diagnosis and management, AAP guidelines, 319
- Autism spectrum disorder (ASD), intellectual disability (ID) on families, 298
- Autoimmune disorder, and albuminocytologic dissociation, pediatric idiopathic intracranial hypertension (IIH), 388
- Autoimmune thyroid disease, differential diagnosis of chronic urticaria in patients with, 25
- Auto-inflammatory syndromes, febrile symptoms in children's due to, 59
- Automated implantable cardioverter-defibrillators (AICDs), utilization rate of, for primary prevention in patients with low LVEF, 83
- Autonomic dysfunction, sign and symptom of syringomyelia in a pediatric patient, case report, 208
- Autopsy findings, in a live born neonate, Ebstein's anomaly and congestive heart failure in Beal's syndrome, 244

B

- B cells, in HLA*B44 positive discordant identical twins with common variable immunodeficiency and recurrent sino-pulmonary infection patients, 322
- Bacillus alvei meningococcal meningitis, in neonate, case report, 224
- Bacillus sp. sepsis, thrombophlebitis and, in IV drug abuser patient, 20
- Bacteremia in adults, case report, 200 diagnosis of, in well-appearing infants, 22 IV drug abuse causing, 20
- Balloon-occlusion retrograde transvenous obliteration, in the treatment of bleeding small bowel varices, 458
- Bariatric practice, clinical experience of a carbohydrate-restricted diet in a medical, 547
- Beal's syndrome, Ebstein's anomaly and congestive heart failure, 244
- Bedbug bites, bullous reactions to, reflect cutaneous vasculitis, 64
- Bedside patient safety assistants to improve productivity, decrease cost and improve outcomes, 465
- Behavioral/mental health (B-MH) services, in primary care pediatrics, 51
- Berberine (BBR), acts as a novel autophagy blocker to protect human Müller cell from 4-HNE induced cell death, 446
- Beta cell function, aldosteronism in rats induces oxidative stress, 449 oxidative stress, from diabetes prone NOD mice, 448
- Bicycle safety prevention programs, in Latino pediatric primary care, 313
- Bilateral multicystic kidney dysplasia, and cerebellar hypoplasia, newborn, 266
- Biracial cohort study, self-reported health behaviors to predict adiposity and lipidemia, 122
- Bisphosphonates, treatment of spontaneous knee osteonecrosis, 128
- Bladder pressure, measurements in patients admitted to a medical intensive care unit, 410
- Bleeding small bowel varices, Balloon-occlusion retrograde transvenous obliteration in the treatment, 458
- Bleomycin-induced lung injury in mice, chronic alcohol ingestion enhances lung fibrosis following, 513
- Blood flow rate (BFR), ratios of, dialysate flow rate (DFR), 279
- Blood glucose levels, with temperature changes in therapeutic hypothermia in pediatric population admitted to pediatric intensive care unit, 409
- Blood oxygen level dependent (BOLD), compromise to structural and functional connectivity in cognitive and affective networks after traumatic brain injury (TBI), 383
- Blood pressure (BP) control among older adults, gender disparities, 338 control in older adults, findings from CoSMO, 156 differential requirement for NADPH oxidase and mitochondria-derived superoxides in angiotensin II, 336 in hypertensive CYP1A1-REN2 transgenic rats fed a sodium-deficient diet, 530 role of angiotensin converting enzyme 2 in, 523 severity of sleep apnea similar in resistant and refractory hypertension, 271
- Body composition on lipid levels, impact of, 502
- Body mass index (BMI) blood pressure (BP) and, differential effects of, from childhood to adulthood on LV remodeling patterns in adults, 94 effect of, on endothelial function among adolescents, 56 obesity trends and related outcomes in black and white teens, 436

- Bogalusa heart study
 comparison of multiple instruments measuring vascular system changes in predicting LVH, 102
 correlates of age-onset of type 2 diabetes mellitus among relatively young black and white adults in a community, 340
 differential effects of BMI and BP from childhood to adulthood on left ventricular remodeling, 94
- Bone marrow cell (BMC) therapy, on cardiac parameters and outcomes, 334
- Bone marrow-derived fibrocytes, to skin lesions and association with L-cathepsin, nephrogenic systemic fibrosis, 415
- Bourneville disease, non-traumatic spontaneous renal bleeding in patient with, 13
- Brain medicine, valproate induced non-hepatic encephalopathy, 9
- Brain natriuretic peptide (BNP), during clinically decompensated and compensated phases of systolic heart failure, 337
- Branched-chain α -ketoacid dehydrogenase (BCKD) kinase, structural and functional studies of small-molecule inhibitors, 120
- BRCA mutation carriers, increased risk of heart failure in, 478
- Breast cancer screening, literacy impact FQHC patients' knowledge, attitude, behavior, and recommendation about, 467
- Breastfeeding in Mid-South, racial differences in diet patterns during, 497
- Bronchiolitis, high flow high humidity nasal cannula therapy for infants with, 515
- Broncholithiasis, presenting as a lung abscess, 248
- Bronchopleural fistula (BPF), successful closure, chronic mechanical ventilator support with the use of a fibrin sealant, 254
- Bronchopulmonary dysplasia (BPD) early vs. late use of rescue inhaled nitric oxide in infants less than 36 weeks, 241
 in infants requiring intubation and surfactant in the neonatal period, 402
- Brugada syndrome, electrocardiography of, induced by overdose of quetiapine, 42
- Bullous reaction, bedbug bites causing, 64
- Buprenorphine, neonatal abstinence syndrome in infants exposed to, 512
- Butt pain, pyomyositis associated with, 15
- C**
- Cachexia, differential requirement for NADPH oxidase-and mitochondria-derived superoxides in angiotensin II, 336
- Calcineurin, inhibition with tacrolimus increases phosphorylation of UT-A1 at serine 486, 271
- Calcium homeostasis, in preterm infants from birth to term age, 495
- Calcium influx, and interacts with L-type calcium channels in cardiomyocytes to regulate their activity, STIM1, 296, 306
- Candida colonization, in the oropharynx of critically ill patients, 406
- Cannabinoid hyperemesis syndrome (CHS), in patients with refractory emesis, 7
- Cap mesenchyme (CM), proto-oncogene, Mdm2, is required for maintenance, 412
- Carbamazepine toxicity, efficiency of high flux charcoal hemoperfusion (HFCHP)/ hemodiafiltration (HDF) combined with continuous venous venous hemodiafiltration (CVVHDF) in the management, 284
- Carbohydrate-restricted diet in a medical bariatric practice, clinical experience of a, 547
- Carbon monoxide (CO) and nitric oxide decrease transforming growth factor beta type I receptor surface expression through a dynamin 2 mediated process, 419
 poisoning, myocardial infarction due to, 37
- Cardiac arrest, outcome, in pediatric trauma, 407
- Cardiac arrhythmias
 in hypertensive patients with primary aldosteronism, 99
 and necrosis acute stressor states: cation dyshomeostasis, prolonged myocardial repolarization, 333
 prolonged QTc interval associated with hypokalemia in patients with, 88
 severity of hypokalemia and associated hypomagnesemia in hospitalized patients with QTc prolongation, 423
- Cardiac autonomic neuropathy (CAN), is predictive of mortality in resistant hypertension, 308
- Cardiac catheterizations, patient and health system factors associated with, 166
- Cardiac ischemia, case report on CAG for, 118
- Cardiac myocytes, STIM1 governs L-type calcium influx, 296, 306
- Cardiac remodeling, HDACs substrates in regulation of pathological, 1
- Cardiac resynchronization therapy, spontaneous conversion of AF into sinus rhythm after, 112
- Cardiogenic pulmonary edema, expired fluid recovered during, 517
- Cardiomyocyte (CM), hyperglycemia, endothelial cells (EC), 294, 305
- Cardiomyopathy
 case report of Chagas, in New Orleans, 4
 nationwide analysis on chronobiology of Takotsubo, 103
 role of angiotensin II and endothelin I in, of diabetic patients, 81
- Cardioprotection, with nebivolol for isoproterenol induced cardiomyocyte necrosis, 91
- Cardiotonic steroid
 causes preeclampsia in hypertension during pregnancy, 504
 cytotrophoblast dysfunction via cell cycle arrest and apoptotic signaling, 505
- Cardiovascular disease (CVD)
 acrolein from tobacco smoke suppresses EPC levels in humans with risk of, 3
 and chronic kidney disease (CKD), predictors of hyperkalemia in patients, 272
- Cardiovascular dysfunction, in pre-diabetic patient, 124
- Cardiovascular implantable electronic device (CIED), pitfalls in diagnosis of, related endocarditis in intensive care unit patient, 11
- Cardiovascular risk, reclassification of, in patient with normal MPI, using heart rate response to regadenoson, 93
- Caring for the elderly, third-year medical students' perspectives on rewards and difficulties in, 553
- (+)-Catechin (CA), with a combination of ACEi and (+)-Catechin in streptozotocin-induced diabetic rats, 421
- Catheter related blood stream infection (CRBSI), organizational communication efforts for the prevention, 376
- Caucasians, body composition, glucoregulation and energy expenditure in healthy, 136
- CD 40 ligand flow cytometry, hyper IgM syndrome (HIGM), 434
- CD151, trafficking deficient mutant transgenic mice, urinary tract abnormalities, 414
- CDR-H3 repertoire, appears to impair the response to influenza virus infection, 323
- Celiac disease, in iron deficiency anemia in the veterans affairs population, 342
- Cellcept, immunotherapy treatment for drug-refractory gastroparesis, 346
- Cerebellar hypoplasia, and Bilateral multicystic kidney dysplasia, newborn, 266
- Cerebral vascular leak syndrome in hypertension during pregnancy, cardiotoxic steroid causes, 504
- Cerebral venous thrombosis, ominous headache in Hispanic young male with, 8
- Cervical dysplasia, Epstein-Barr virus as a potential biomarker, 367
- Chagas cardiomyopathy, case report of, in New Orleans, 4
- Chemotherapy-induced alopecia, in mice with a novel parathyroid hormone fusion protein, prophylaxis vs. therapy, 443
- Chest pain, effect of health information exchange on hospital admissions for, 558
- Chest x-rays (CXRs), diagnosing pneumonia (PNA) in hemodialysis patients, 274
- Chiari malformation type I (CM 1), acute respiratory failure, 255
- Childhood
 obesity and elevated BP play different roles in the pathogenesis of LV hypertrophy patterns in adulthood, 94
 prevalence rates for overweight and obesity in children entering foster care shelter in Oklahoma, 57
- Children
 12 week family weight management program to reduce BMI in, 46
 genital ulcers as a presenting symptom of EBV in, 54
 with intestinal failure associated liver disease, impact of omega-3 fatty acids on liver function tests and liver histology in, 506
 lysinuric protein intolerance (LPI) in, 33
 methicillin-resistant Staphylococcus aureus epidural abscesses in, 494
 physical abuse, impact of childhood trauma and mental health on maternal risk for, 43
 weight loss, impact of provider body mass index screening and counseling on, 472
 weight status, caregiver demographics and perception of, 473
- Children's Hospital of Oklahoma, written daily objectives to improve patient satisfaction during their inpatient hospitalization in, 50
- Chlamydia (CT), Health Resources and Services Administration (HRSA), 371
- Chromosome 8Q21 deletion in a child, case report, 219

- Chronic angiotensin II, TNF- α receptor type 2, but not type 1, is involved in the renal tissue injury response, 417
- Chronic constipation (CC), potential diagnostic value of prolonged cecal residence time in patients, 344
- Chronic direct renin, inhibition improves renal hemodynamics in CYP1A1-REN2 transgenic rats with angiotensin II-dependent malignant hypertension, 411
- Chronic kidney disease (CKD) and cardiovascular disease (CVD), predictors of hyperkalemia in patients, 272
- due to hypertensive nephropathy, dietary acid reduction with fruits and vegetables in subjects with stage 4, 522
- resistance to correction of vitamin D deficiency in, 525
- risk factors in a nursing home population of Louisiana, 261
- undergoing coronary artery bypass surgery, 424
- Chronic myeloid leukemia, case report, 178
- Chronic obstructive pulmonary disease (COPD) factors predicting length of stay in patients with, 520
- failed therapy, respiratory bronchiolitis-associated interstitial lung disease (RB-ILD), 259
- Chronic otitis media, bloody diarrhea and, LCH with GI tract involvement in infant with, 32
- Chronic urticaria, differential diagnosis of, in patients with autoimmune thyroid disease, 25
- Chronobiology, for TTC related hospitalizations, 103
- Chryseobacterium indologenes, case report, 190
- Chylothorax, chronic shortness of breath, 249
- Ciprofloxacin, double exposure to radiocontrast dye and, as precipitating factor for red man syndrome, 76
- Clinical experiences from student notes, automatic identification of, 557
- Clinical vignette scoring tool, external validation of a, 546, 552
- CNS angitis, workup and management of patient presenting with primary, as migranous headache, 72
- Cohort Study of Medication Adherence in Older Adults (CoSMO), gender disparities in blood pressure control among older adults, 338
- Cold and cough medicine (CCM), parental use, in children under age six, 438
- Collagen expression , modulation of, IGF-1 mechanism responsible for, 96
- Colonoscopy, asymptomatic mucinous adenocarcinoma detected by screening, case report, 463
- Common variable immunodeficiency (CVID) recurrent sino-pulmonary infection, and immunoglobulin deficient patients, phenotypic analysis of various B cell populations, 321
- and recurrent sino-pulmonary infection patients, phenotypic analysis of B cells in HLA*B44 positive discordant identical twins, 322
- Communication, on laypersons' assessments of students, medical school capstone course, 379
- Community-associated strains of methicillin-resistant *Staphylococcus aureus* (CA-MRSA), rapamycin augments the anti-inflammatory effect of ketamine on macrophage responses, 430
- Complementarity determining region 3 (CDR-H3), surrogate light chain component of the Pre BCR selects for immunoglobulin heavy chains, 327
- Complex headache disorders, after sports-concussion, 384
- Computer-based insulin infusion method, in management of diabetic ketoacidosis in a pediatric intensive care unit, 447
- Congenital abdominal wall defects, at Kosair children's hospital, 158
- Congenital contractural arachnodactyly (CCA), Ebstein's anomaly and congestive heart failure, 244
- Congenital diaphragmatic hernia (CDH), vitamin A pathway genes, 300
- Congenital left ventricular aneurysm case report, 225
- ventricular tachycardia as a presentation of, 41
- Congenital renal dysgenesis, secondary to gene environment interactions, repression of the transcription factor and epigenetic regulator Pax2, 293
- Congestive heart failure, and Ebstein's anomaly in Beal's syndrome, 244
- Connective tissue disease (CTD)-interstitial lung disease (ILD), quality of life related outcomes in patients living with, 79
- Constipation diagnosis, treatment, and complications of, 460
- transcutaneous electrical acupuncture control symptoms, 347
- Continuous ambulatory peritoneal dialysis (CAPD), 187
- Continuous venous venous hemodiafiltration (CVVHDF), high flux charcoal hemoperfusion (HFCHP)/ hemodiafiltration (HDF), management of severe carbamazepine toxicity, 284
- Contrast-induced nephrotoxicity in human kidney cells and eNOS-deficient mice, pituitary adenylate cyclase-activating polypeptide prevents, 532
- Coronary angiography (CAG), diagnosis of cardiac ischemia by, 118
- Coronary artery anomaly, stroke and, association of, 104
- Coronary artery bypass grafting (CABG), chronic kidney disease (CKD), 424
- Coronary artery disease (CAD), diabetes and, 36
- Coronary endothelial dysfunction, and cardiovascular performance in polycystic ovarian syndrome, 451
- Corrected QT interval (QTc), acute stressor states: cation dyshomeostasis, prolonged myocardial repolarization with cardiac arrhythmias and necrosis, 333
- Cough and cold medicine ingestions, symptoms of viral illness, 469
- Cow's milk protein allergy (CMPA), case report, 222
- C-reactive protein (CRP)-driven inflammation, estrogen, 339
- Creatinine, acute kidney injury after partial nephrectomy, 277
- Critical concepts, a unique approach to undergraduate education in the care of the acutely ill patient, 381
- Crohn's disease (CD) case report, 180
- renal hypouricemia in a child, 263
- Cryptococcus neoformans, cellular aging is associated with apoptotic-like DNA fragmentation in, 493
- Curcumin, mechanisms of action, signaling pathways affected are similar to anti-inflammatory modulator (AIM) in Diabetic nephropathy (DN), 289
- Cushing's syndrome, due to bilateral AIMAH, 139
- Cyclooxygenase-2, expression in the rat renal inner medulla, activation of the (Pro)renin receptor contributes to the angiotensin II mediated increase, 413
- Cyclophosphamide, treatment of lupus nephritis during pregnancy by, 77
- Cyclosporine A, case report with literature review on treatment of IMN by, 62
- Cyp1a1-Ren2 rats, with ANG-II dependent hypertension, dietary salt restriction on systolic blood pressure (SBP), urinary protein excretion, and urine flow, 267
- Cystatin C (CysC), based equations as markers of renal function in African American living kidney donor, 420
- Cystic fibrosis (CF) case report on 14-month-old with respiratory distress and, 48
- life-space score positively correlates with lung function and mobility in adults with, 519
- in newborn screening, case report, 227
- in a pre-adolescent African American female, 251
- Cytochrome P450 (CYP) 1A, and inflammation, sex differences in hyperoxic lung injury, 303
- Cytomegalovirus (CMV) infection polyhydramnios and fetal ascites, 240
- in premature infants less than 30 weeks' gestational age, 231

D

- D β germline sequence, on constraining TCR CDR β 3 diversity, 320
- de novo stage IV breast cancer, presentation and comparison with stage IV disease relapse after adjuvant therapy, 352
- Defensin is greatly upregulated in neonatal neutrophils following labor, gene expression of, 511
- Depression, anxiety disorder and, due to hypomagnesemia in older woman, 39
- Dermatomyositis complicated with pneumomediastinum and subcutaneous calcifications, 80
- diagnosis of, 66
- Desaturation episodes, in ventilated extremely low birth weight neonates are associated with increased morbidity, 401
- Dexamethasone (Dex) and hydrocortisone impair neurogenesis in newborn rats, 399
- and a novel glucocorticoid on angiogenic growth factors in third-trimester baboon lung explants, 398
- Diabetes calculation of ABI for peripheral arterial disease in patients with, 86
- coronary artery disease (CAD) and, 36

role for modified lipoproteins in endoplasmic reticulum stress in RPE, 126

role of endothelin I and angiotensin II in cardiomyopathy of patients with, 81

Diabetic gastroparesis (DGP), nitric oxide synthase (n-NOS) expression, 345

Diabetic ketoacidosis

- computer-based insulin infusion method, in management, pediatric intensive care unit, 447
- steroid-induced, 146

Diabetic nephropathy (DN), diferuloylmethane (CURCUMIN) function as an antioxidant anti-inflammatory modulator (AIM), 289

Diabetics

- medication intensification in rural primary care practices, 540
- in South Florida, a profile of poorly controlled, 549

Dialysate, blood flow ratios 1.5 vs. 2.0, 279

Dialysate flow rate (DFR), to patient blood flow rate (BFR), ratios, 279

Dialysis, achievement and outcomes of pre-ESRD care among urban, micropolitan, and rural patients who initiate dialysis, 280

Diaphragmatic hernia, during pulmonary vein isolation for atrial fibrillation, 109

Diarrhea, in a prednisone dependent, atopic patient, eosinophilic gastroenteritis, 349

Diferuloylmethane (curcumin), mechanisms of action, signaling pathways affected are similar to anti-inflammatory modulator (AIM) in Diabetic nephropathy (DN), 289

DiGeorge syndrome, phenotypic variability of, 217

- 24,25-Dihydroxyvitamin D₃, non-genomic signaling by, in HepG2 cells, 134

Diuretics, use of, impact on QTc prolongation with hypokalemia in hospitalized patients, 100

Diversity genes (DH genes), anti-DNA antibody production is restricted by the germline composition, 429

Domains that contribute to successful ward attending rounds, pair wise comparison of, 535

Domperidone (motilium), and its cardiovascular safety profile in a compassionate use study, 348

Double vision, case report, 177

Dress syndrome, case report, 218

Drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome, case report on fatal outcome of, 78

Drug-refractory gastroparesis, immunotherapy treatment, 346

Duodenal bulb, manifest as duodenal polyps, heterotopic gastric tissues, 350

Duodenal polyps, heterotopic gastric tissues of the duodenal bulb, 350

Dynamin 2 mediated process, nitric oxide, and carbon monoxide decrease transforming growth factor beta type 1 receptor surface expression, 419

Dyshomeostasis, in patients hospitalized with acute bodily injury, of serum potassium, magnesium and ionized calcium, 98

Dyslipidemia, San Antonio HIV Cohort (SAHIV), 370

Dyspnea, exertional, Scimitar syndrome causing, 105

E

Eat less and exercise more, follow up at six weeks versus six months, 441

Ebstein's anomaly, and congestive heart failure in Beal's syndrome, 244

Echocardiogram, diagnosis of chronic severe aortic regurgitation by, 113

Echocardiographically, Goldberger's electrocardiographic triad can be an insensitive marker for severe left ventricular dysfunction, 425

Echocardiography, in patients with and without congenital heart defects in fetus and infants, 213

Education Summit, participation and evaluations of, 536

Eight-and-a-half syndrome, case report on, caused by acute pontine infarction, 17

Emergency department (ED)

- preventable visits of children, United States, 299
- with severe agitation and found to have abused a new type of intoxicant, 253

Empty sella (ES), involution of, due to pituitary macroadenoma, 137

Empyema, case report on, caused by actinomycosis, 12

Encephalitis, stroke like symptoms in pediatric emergency department, 53

Endocarditis, pitfalls delaying diagnosis of CIED-related, in intensive care unit patient, 11

Endocrine hypertension, 11 β -hydroxylase deficiency cause, in Blacks, 140

Endoplasmic reticulum (ER) stress

- role for modified lipoproteins in, in RPE in diabetes and mouse model, 126
- by vitamin D in endothelial cells, 450

Endothelial cells (EC)

- derived cardioprotection is abolished by hyperglycemia, 294, 305
- inhibition of endoplasmic reticulum stress by vitamin D, 450

Endothelial derived nitric oxide (eNO), function in human aortic endothelial cells, 431

Endothelial dysfunction, effect of BMI on, in overweight and obese adolescents, 56

Endothelial progenitor cells (EPC), acrolein from tobacco smoke suppresses, in human with CVD risk, 3

Energy expenditure, relationship between body composition, glucoregulation and, impact in healthy African-Americans and Caucasians, 136

Enoxaparin, case report of skin necrosis after administration of, 14

Enteral feeding, in preterm piglet small intestine, apolipoprotein A-IV, and microsomal triglyceride transfer protein, 454

Eosinophilic gastroenteritis

- acute diarrhea in a prednisone dependent, atopic patient, 349
- case report, 459

Epicardial adipose tissue (EAT), with cardiovascular performance during exercise in women with the metabolic syndrome, 453

Epidermophyton floccosum infection, case report, 204

Epidural abscesses in children, methicillin-resistant *Staphylococcus aureus*, 494

Epinephrine, intramuscular, for asthma exacerbation in children's, 47

Epoetin-associated pure red cell aplasia (PRCA), after treatment with aranesp and procrit, case report, 479

Epstein-Barr virus

- infection, genital ulcers as a presenting symptom of, in children's, 54
- potential biomarker for cervical dysplasia, 367

Erythema multiforme, case report on diagnosis of, 29

Erythematous rash, differential diagnosis of, in eighteen month old Hispanic female, 25

Erythromycin, for feeding intolerance in preterm infants in the newborn intensive care unit (NICU), 245

Estimated glomerular filtration rate (eGRF), metformin, 541

17 β -Estradiol (E2), estrogen inhibits C-reactive protein-driven inflammation, 339

Estrogen, inhibits C-reactive protein-driven inflammation in young but not aged mice, 339

Exertional dyspnea, Scimitar syndrome causing, 105

Experimental diabetes, urinary neutrophil gelatinase associated lipocalin (N-GAL), 269

Extracorporeal membrane oxygenation (ECMO), veno-arterial, in adolescent with a mediastinal mass, 34

Extrapulmonary sarcoidosis, severe hypercalcemia as initial presentation of, 68

F

Facemask, simulated flow phenomena and the CO₂ concentrations accumulated over time, infants and young children, 260

Family planning, anxiety and quality of life in inflammatory bowel disease (IBD), 455

Fanconi syndrome, medication-induced, case report, 195

Fatal pituitary carcinoma, diagnosis, 445

Fecal microbiota, in premature infants with and without H₂-blocker therapy using sensitive molecular biological techniques, 394

Federally Qualified Health Center (FQHC) participants, rural and urban, differences in screening mammography knowledge, 162

Feeding intolerance, with cyanosis, 242

Ferritin, hemophagocytic lymphohistiocytosis (HLH) presenting with liver failure in two newborn infants: overlap with neonatal iron storage disorder, 230

Fetal ascites and Polyhydramnios, cytomegalovirus infection, 240

Fetal hydrops, and hepatic arteriovenous malformations (AVM) with associated syndromes, 243

FGFR3 gene, thanatophoric dysplasia (TD), dwarf fetus, 233

Fibrin sealant, successful closure of persistent BPF in a young male on chronic mechanical ventilator support with the use, 254

Fibroblast to myofibroblast differentiation, arsenic trioxide abrogates transforming growth factor-beta1, 405

Filariasis by *Mansonella ozzardi* in the peru, prevalence of, 488
 Frailty syndrome, and its associated risk factors in a nursing home population of Louisiana, 466
 Fusarium, in case of granulomatous lung disease, case report, 193

G

Gastric adenocarcinoma, case report, 168
 Gastric antral vascular ectasia (GAVE) syndrome, occult bleeding, 351
 Gastric malignancy, torus hyperplasia of pyloric antrum simulating, 172
 Gastric outlet obstruction in a child, unusual cause of, case report, 459
 Gastrointestinal involvement, LCH with, in infant with chronic otitis media and bloody diarrhea, 32
 Gastroparesis (GP), transcutaneous electrical acupuncture control symptoms, 347
 Gastroschisis, at Kosair children's hospital, 158
 Gender disparities, in blood pressure control among older adults, COSMO, 338
 Genital ulcers, as symptom of EBV infection, in children's, 54
 Geriatric-HIV Program, experience of an urban academic center at one year follow-up, 369
 Giant cell tumor of the bone (GCT), case report, 171
 Gleich's syndrome
 case report, 170
 recurrent diffuse angioedema with, in patients without visceral organ damage, 71
 Glomerulonephritis, infective endocarditis, 282
 Glucocorticoid, angiogenic growth factors in third-trimester baboon lung explants, dexamethasone, 398
 Glucose levels, with temperature changes in therapeutic hypothermia in pediatric population admitted to pediatric intensive care unit, 409
 Glutathione peroxidase 1 (GPx-1) expression, insulin-like growth factor-1 (IGF-1) enhances, vascular endothelial cells, 95
 Glycosaminoglycans (GAG), abnormal urinary elevation, liver arteriovenous malformation, hydrops, 243
 Goldberger's electrocardiographic triad, can be an insensitive marker for severe left ventricular dysfunction as determined echocardiographically, 425
 Gonorrhea (GC), Health Resources and Services Administration (HRSA), 371
 Gout, case report on severe tophaceous, 63
 Granular cell tumors (GCTs), parasellar symptomatic, Mississippi Medical Center experience in diagnosis, management and prognosis of, 135
 Granulomatosis with polyangiitis (GPA)
 a case report on, in 15 year old female, 24
 unresolving sinusitis, 287
 Granulomatous lung disease, case report, 193
 Griscelli syndrome (GS) type II, novel RAB27 mutations, 356
 Group B Streptococcal disease (GBS), postnatal antibiotics in one neonatal ICU following implementation of the 2010 CDC guidelines, 237

Group B Streptococcal (GBS) infection, diagnosis of late, in infants, 22
 Growth hormone deficiency, hypopituitarism with isolated, as hypoglycemia, 123
 Guillain-Barré syndrome, with unusual lumbosacral presentation, 390

H

H2-blocker therapy, fecal microbiota in premature infants, 394
 Headache
 cerebral venous thrombosis in Hispanic young male with, 8
 disorders after sports-concussion, 384
 migranous, workup and management of patient presenting with primary CNS angiitis, 72
 mitochondrial encephalopathy lactic acidosis and stroke syndrome masquerading as, 52
 Health Care for the Homeless (HCH) programs, 555
 Health literacy
 association with preventative care in a national sample, 151
 demographic, geographic and language predictors of, 550
 Healthcare providers (HCPs), Asian-American (AA) adolescents, sexual activity, sexually transmitted infections, and pregnancy prevention, 312
 Healthy Lifestyle Clinic, anti-obesity toolkit for treating extreme adiposity, 144
 Heart conduction disorders, are associated with obstructive sleep apnea, 331
 Heart failure
 in BRCA mutation carriers, increased risk of, 478
 clinically decompensated, elevated serum troponin-I in patients with, 90
 serum troponin-I responses in patients with clinically compensated and decompensated phases of, 101
 Heart rate response (HRR), to regadenosin in patients with normal MPI, 93
 Heart transplantation, heparin-induced thrombocytopenia (HIT), 358
 Hematology/oncology, shortage of specialists, 362
 Hemodiafiltration (HDF), High flux charcoal hemoperfusion (HFCHP) combined with continuous venous venous hemodiafiltration (CVVHDF) in the management of severe carbamazepine toxicity, 284
 Hemodialysis
 catheters, organizational communication efforts for the prevention of catheter related blood stream infection, 376
 patients, chest x-rays (CXR) in diagnosing pneumonia (PNA), 274
 patients, indoleamine 2,3-dioxygenase (IDO) activity, 276
 Hemoglobin A1C (hgb A1C), assessing adherence to American diabetic association recommendations for, 542
 Hemolysis, after mitral valve replacement, 40
 Hemolytic uremic syndrome (HUS), acute onset of ventricular tachycardia in child with, 23
 Hemophagocytic lymphohistiocytosis (HLH) case report on, 73
 with liver failure in two newborn infants: overlap with neonatal iron storage disorder, 230
 Hemoptysis, accessory cardiac bronchus (ACB), 257
 Henoch schonlein purpura (HSP), overlapping with microscopic polyangiitis (MPA) in a young pediatric patient, 270
 Heparin induced thrombocytopenia (HIT) by HITT, 359
 in patient requiring heart transplantation, 358
 Heparin induced thrombocytopenia and thrombosis (HITT), functional platelet assay, 359
 Hepatic arteriovenous malformations (AVM), with associated syndromes, fetal hydrops, 243
 Hepatitis B knowledge among Asian/Pacific islander adults, community outreach programs are effective at improving, 468
 Hepatitis C virus (HCV)
 infection, acute disseminated encephalomyelitis (ADEM) in a patient, 386
 nausea, vomiting, and diarrhea in a patient with, case report, 464
 and non-hepatocellular carcinoma liver malignancies in veterans, 343
 related, polyclonal hypergammaglobulinemia, case report, 202
 rituximab, associated cryoglobulinemic membranoproliferative glomerulonephritis in a patient with combined liver and kidney transplant, 291
 Hepatitis in a neonate, case report, 189
 Hepatoblastoma, precocious puberty in female child due to, 148
 HepG2 cells, non-genomic signaling by 24,25-dihydroxyvitamin D3 in, 134
 Herpes simplex virus encephalitis (HSVE), evaluating experimental effects of traumatic lumbar puncture on molecular detection of, 491
 Heterotopic gastric tissues, of the duodenal bulb manifest as duodenal polyps, 350
 Hidradenitis suppurativa (HS), asymmetric arthritis in a patient with, 16
 High carbohydrate (HC) vs. high protein (HP) diets, impact on weight change and metabolic parameters, 149
 High density lipoprotein (HDL) cholesterol, increased physical activity improved, in Vietnamese Americans, 121
 High flow high humidity (HFHH) nasal cannula therapy for infants with bronchiolitis, 515
 High flux charcoal hemoperfusion (HFCHP), Hemodiafiltration (HDF), combined with continuous venous venous hemodiafiltration (CVVHDF) in the management of severe carbamazepine toxicity, 284
 Histone 3 lysine 79 (H3K79), methylation in kidney development, 292
 Histone deacetylases (HDACs) 1 and 2, in the ureteric epithelium, 153
 Histone deacetylases (HDACs), regulation of pathological cardiac remodeling by, 1
 Histoplasmosis, etiology of intrathoracic masses in children in, 486
 History and physical examination, of ROAA, case report on importance of, 19

- Hodgkin's disease, case report, 173
- Homeless individuals, comparison of customized versus mainstream primary care for, 555
- Hospital readmissions, risk factors for, within 30 days of discharge in medicaid population, 85
- Human aortic endothelial cells, lupus sera alters eNOS function, 431
- Human immunodeficiency virus (HIV) abnormal ECGs in a woman with, case report, 195
- AIDS patients, assisting in times of disaster, 185
- challenge of timely diagnosis, and associated infectiousness due to high viral loads, 365
- spinal epidural abscess in, 199
- Human kidneys, indoleamine 2,3-dioxygenase (IDO), activity and netrin levels, 418
- Human leukocyte antigen-DR match in kidney transplant recipients, impact of, 524
- Human milk
- benefits for preterm infants, result in increased visitation and decreased length of neonatal ICU (NICU) stay, 234
- long-term freezing, lactoferrin, 392
- macronutrient analysis by mid-infrared spectrometry, 393
- Human Müller cell, 4-hydroxynonenal (4-HNE), induced cell death, berberine acts as a novel autophagy blocker, 446
- Human papillomavirus (HPV) vaccination rates, immunizing boys makes a difference in overall vaccine uptake, 317
- Human papillomavirus (HPV) vaccine acceptance and compliance in inner-city indigent male and female adolescents, 58
- awareness and knowledge of, in mothers and fathers, 55
- Hydrocortisone (HC)
- and dexamethasone, impair neurogenesis in newborn rats, 399
- mediated inhibition of intestinal epithelial cells, amniotic fluid, 397
- 11 β -Hydroxylase deficiency, endocrine hypertension due to, in Blacks, 140
- 4-Hydroxynonenal (4-HNE), induced cell death, berberine acts as a novel autophagy blocker to protect human Müller cell, 446
- 25-Hydroxyvitamin D, vitamin D supplementation in patients with early stage chronic kidney disease: a randomized, placebo-controlled trial to increase circulating and prevent secondary hyperparathyroidism, 444
- Hyper IgM syndrome (HIGM), a seven month old boy with normal CD 40 ligand flow cytometry, 434
- Hyperadrenergic stressor states, isoproterenol-induced, cardioreparation with nebivolol cotreatment for, 92
- Hypercalcemia, extrapulmonary sarcoidosis with initial presentation of, 68
- Hypercapnia, and cerebrovascular reactivity in newborn pigs, 508
- Hypereosinophilia, after PTCA, 6
- Hyperferritinemia, hemophagocytic lymphohistiocytosis (HLH) presenting with liver failure in two newborn infants: overlap with neonatal iron storage disorder, 230
- Hyperglycemia, endothelial derived cardioprotection, 294, 305
- Hyperimmunoglobulin D syndrome (HIDS), febrile symptoms in children's due to, 59
- Hyperkalemia, and death in patients with cardiac and renal disease, 272
- Hyperoxia
- induced delayed alveolarization, aryl hydrocarbon receptor dysfunctional newborn mice, 396
- neurodevelopmental impairment (NDI), 302
- Hyperoxic lung injury, sex differences, role of cytochrome P450 (CYP) 1A and inflammation, 303
- Hyperparathyroidism
- and 25-Hydroxyvitamin D, vitamin D supplementation in patients with early stage chronic kidney disease: a randomized, placebo-controlled trial, 444
- recurrent primary, differential diagnosis of, in elders, 132
- Hyperplasia, ACTH independent macronodular, Cushing's syndrome due to bilateral, 139
- Hypersensitivity, IgE-mediated mechanism in radiocontrast media, 65
- Hypertension (HTN)
- resistant and refractory, severity of sleep apnea similar, 273
- San Antonio HIV Cohort (SAHIV), 370
- Hypertensive stroke, rapid transition from SIADH to transient diabetes insipidus in patient with, 138
- Hypocalcemia, and aldosteronism, idiopathic intracranial hypertension (IIH), 389
- Hypoglycemia
- hypopituitarism with isolated growth hormone deficiency as, 123
- unusual cause of, on sulfonyleurea ingestion, 27
- Hypoglycemic agents, role of oral, in management of type 1 diabetes, 147
- Hypokalemia
- and associated hypomagnesemia in hospitalized patients with QTc prolongation and cardiac arrhythmias, 423
- cardiac arrhythmias with prolonged QTc interval associated with, 88
- and hypomagnesemia, in patients hospitalized with thermal burn injury, 89
- in patients hospitalized with acute bodily injury, 98
- QTc prolongation and frequency of admission for cardiac-and noncardiac-related reasons and use of diuretics, 100
- QTc prolongation with hypomagnesemia and associated, 87
- Hypokalemic periodic paralysis (HPP), associated thyrotoxicosis in non-Asian patient, 125
- Hypomagnesemia
- depression and anxiety disorder due to, in older woman, 39
- in hospitalized patients with QTc prolongation and cardiac arrhythmias, 423
- hypokalemia and, in patients hospitalized with thermal burn injury, 89
- in patients hospitalized with acute bodily injury, 98
- prolonged QTc interval with hypokalemia and associated, 87
- Hyponatremia, case report on use of ACEI as unexpected causes of, 84
- Hypopituitarism, isolated growth hormone deficiency with, as hypoglycemia, 123
- Hypoplastic aortic arch, coarctation of the aorta and severe lactic acidosis, SUCLA2 mutation related mitochondrial depletion syndrome, 215
- Hypothalamus, neurohormonal mechanisms that mediate Ang II-induced appetite suppression in, 97
- Hypovitaminosis D, and statin intolerance, 501
- Hypoxia induced microRNA-21 and microRNA-17-92 expression, effects of rosiglitazone on modulation of, 514
- Hypoxic respiratory failure (HRF), inhaled nitric oxide (iNO), compare mortality and bronchopulmonary dysplasia (BPD) outcomes, 241
-
- I-131 MIBG ablation therapy, treatment of metastatic malignant pheochromocytoma by, 119
- Idiopathic gastroparesis (IGP), nitric oxide synthase (n-NOS) expression, 345
- Idiopathic hypertrophy, case report, 172
- Idiopathic intracranial hypertension (IIH) associated with hypocalcemia and aldosteronism, 389
- due to albuminocytologic dissociation and autoimmune disorder, 388
- Idiopathic membranous nephropathy (IMN), case report with literature review of, cyclosporine A in the treatment of, 62
- Idiopathic pulmonary artery hypertension, severe aortic stenosis and, in elders, 116
- IgE-mediated reaction, in radiocontrast media hypersensitivity, 65
- IgG, pathogenesis of acquired cytomegalovirus (CMV) infection in premature infants less than 30 weeks' gestational age, 231
- Imatinib mesylate improves renal hemodynamic function in Cyp1a1-Ren2 transgenic rats with ANG II-dependent malignant hypertension, 531
- Immune thrombocytopenic purpura, sorafenib, 360
- Indoleamine 2,3-dioxygenase (IDO) activity and netrin levels from ex vivo perfused human kidneys, 418
- activity, in hemodialysis patients, 276
- Indomethacin (IND), mediated inhibition of intestinal epithelial cells, amniotic fluid, 397
- Infants
- case report on cystic fibrosis and respiratory distress in, 48
- a case report on intraventricular hemorrhage and dehydration in, 28
- chronic otitis media, bloody diarrhea and, LCH with GI tract involvement in, 32
- diagnosis of bacteremia in, 22
- Infective endocarditis (IE), associated glomerulonephritis, 282
- Inflammation, and cytochrome P450 (CYP) 1A, sex differences in hyperoxic lung injury, 303
- Inflammatory bowel disease (IBD), anxiety, family planning and quality of life, 455
- Inflammatory markers, high serologic and, in rheumatoid arthritis associated with worse pain and functional status, 74

Inflammatory mediators, in the retina and neonatal retinal disease, 304

Influenza virus infection, altered immunoglobulin CDR-H3 repertoire appears to impair the response, 323

Inhaled corticosteroids (ICS), in the management of persistent asthma, leukotriene receptor antagonists (LTRA), 316

Inhaled nitric oxide (iNO), mortality vs. Bronchopulmonary dysplasia (BPD) outcomes, 241

Inpatient ward services, average resident day on, 548

Insulin-like growth factor-1 (IGF-1) modulation of vascular smooth muscle cell phenotype and collagen deposition, 96

regulation of glutathione peroxidase 1 (GPx-1) expression, 95

Intellectual disability (ID), on families of children with autism, 298

Interferon-gamma (IFN γ) dependent regulation of sialyl Lewis a on CD44V6: implications for neutrophil transepithelial migration, 456

Interleukin-13 (IL-13), on transforming growth factor-beta, differential effects, 408

Internal medicine resident continuity clinic, nontraditional ambulatory care topics integrated into, 554

Interstitial lung disease (ILD), CTD and, quality of life related outcomes in patients living with, 79

Intestinal epithelial cells, amniotic fluid prevents indomethacin & hydrocortisone mediated inhibition, 397

Intestinal failure associated liver disease (IFALD), impact of omega-3 fatty acids on liver function tests and liver histology in children with, 506

Intracranial hemorrhage (ICH), include seizures, respiratory distress, apnea and increased intracranial pressure, 235

Intracranial hypotension, case report, 206

Intramuscular antibiotics, comparative effectiveness between intravenous and, 543

Intrauterine growth retardation (IUGR), a newborn with bilateral multicystic kidney dysplasia and cerebellar hypoplasia, 266

Intravenous antibiotics, comparative effectiveness between intramuscular and, 543

Intraventricular hemorrhage, dehydration and, in infants, 28

Intubation and surfactant, bronchopulmonary dysplasia (BPD), 402

Ionized hypocalcemia, in patients hospitalized with acute bodily injury, 98

Iron deficiency anemia, celiac disease, in the veterans affairs population, 342

Isolated intestinal perforation (IIP), role of aortic thrombus, in preterm infants, 246

Isopterenol
induced acute stressor state involving mitochondria, 92
induced cardiomyocyte necrosis, cardioprotection by nebulivolol for, 91

IV Drug abuse, *Bacillus* sp. sepsis and thrombophlebitis in patient with, 20

K

Kawasaki disease (KD), case report on, and risk of peripheral arterial disease, 38

Kennedy disease (KD), cause for achalasia, 457

Ketoacidosis, steroid-induced diabetic, 146

Kidney development
P53-Wnt signaling crosstalk, 278
role of H3K79 methylation, 292

Kidney transplant, rituximab, in treating hepatitis C associated cryoglobulinemic membranoproliferative glomerulonephritis in a patient, 291

Klebsiella late-onset bacterial sepsis (LOS), maternal antibiotics increase risk of, 510

Knee, bisphosphonates for treatment of spontaneous osteonecrosis of, 128

L

Lactobezoar, in neonate, 229

Lactoferrin, stability, in stored human milk, 392

Langerhans cell histiocytosis (LCH), GI tract involvement with, in infant with chronic otitis media and bloody diarrhea, 32

Laryngitis, case report, 186

Late preterm infants (LPI), in research priorities and ascertainment of follow-up needs affecting, 152

Late-onset bacterial sepsis (LOS), maternal antibiotics increase risk of Klebsiella, 510

L-cathepsin, nephrogenic systemic fibrosis, the contribution of bone marrow-derived fibrocytes to skin lesions, 415

Lecithin-cholesterol acyltransferase deficiency (LCAT), diagnosis of, in acute renal failure, 129

Left ventricle hypertrophy (LVH), comparison of multiple instruments measuring vascular compliance related to, 102

Left ventricular (LV)
dysfunction as determined echocardiographically, Goldberger's electrocardiographic triad, can be an insensitive marker, 425
remodeling, differential effects of BMI and BP from childhood to adulthood in, 94
structure and function, BMC therapy, arrhythmias and mortality in patients with ischemic heart disease (IHD), 334

Left ventricular ejection fraction
correlation between palpitation and, in patients with atrial fibrillation, 82
utilization rate of AICDs for primary prevention in patients with low, 83

Lemierre's syndrome, clinical presentations and laboratory abnormalities that will aid in earlier diagnosis of, 221

Leptospirosis, case report, 201

Leukotriene, modifier monotherapy among persistent asthmatics, 316

Leukotriene receptor antagonists (LTRA), are inferior to inhaled corticosteroids (ICS) in the management of persistent asthma, 316

Limb shaking, transient ischemic attack (TIA), 391

Limited health literacy (LHL), adherence to cancer screening in patients with, 165

Liver failure, hemophagocytic lymphohistiocytosis (HLH) and neonatal iron storage disorder, 230

Liver transplant, rituximab, in treating hepatitis C associated cryoglobulinemic membranoproliferative glomerulonephritis in a patient, 291

Look-Alike, Sound-Alike (LASA) drug substitutions in children, evaluation of, 470

Low acuity pediatric ER patients, requiring admission, 154

Low grade gliomas treated with radiation therapy, outcomes of pediatric, 482

Lower limb, Rosai-Dorfman disease (RDD) as a soft tissue tumor of the, case report, 483

Lung abscess, broncholithiasis, 248

Lungs, T helper 17 cells, 324

Lupus, and thrombotic microangiopathy an elusive unifying diagnosis, 285

Lupus nephritis
case report on systemic lupus erythematosus with, 75
cyclophosphamide for treatment of, during pregnancy, 77

Lysinuric protein intolerance (LPI), a case report on, in children's, 33

M

Macronutrient diet, effect of, on weight change and metabolic parameters, 149

Magnesium, relationship of them with arrhythmias and management of this problem, 332

Malignant pheochromocytoma, case report, 176

Maltreatment, characteristics of patients associated with visits for, 159

Mammography, barriers in rural and urban patients, 162

Mastocytosis, case report, 174

Maternal and neonatal outcome in morbid obese mothers, evaluation of, 474

Maternal human milk (MHM), benefits for preterm infants, result in increased visitation and decreased length of neonatal ICU (NICU) stay, 234

Maternal risk, impact of childhood trauma and mental health on, for child physical abuse, 43

Mdm2, is required for maintenance of the cap mesenchyme, 412

Mediastinal mass, veno-arterial ECMO in adolescent with, 34

Medicaid population, risk factors for readmissions within 30 days of discharge in, 85

Medical and trauma patients, key features of teamwork and communication by members of the response teams for, 167

Medical intensive care unit (MICU), bladder pressure measurements in patients, 410

Medical school, barriers to successful research during, 537

Medicine clerkship performance, impact of service learning, 375

Melanoma
awareness, race/literacy has an impact on safety-net clinic patients determination, 155
effect on sun-protection behaviors, 161

Metabolic flexibility, impaired, in Vietnamese Americans, 133

Metabolic syndrome, epicardial adipose tissue (EAT), with cardiovascular performance during exercise in women with the metabolic syndrome, 453

Metanephrin development, angiotensin (Ang) II, promotes papillogenesis, 290

Metformin
laboratory provided estimated glomerular filtration rate allows for more appropriate prescribing of, 541

- and proton pump inhibitors effect on vitamin B12 levels, 452
- Methicillin-resistant *Staphylococcus aureus* (MRSA)
epidural abscesses in children, 494
infection, and vitamin D insufficiency, 363
- Methimazole, impact on overdosage of, for severe hyperthyroidism, 142
- Methylmalonic acidemia (MMA), severe metabolic acidosis and acute kidney injury in child with, renal replacement therapy for, 49
- Miami Healthy Heart Initiative (MMHI), 549
- Michael's equation, comparison of dialysate to blood flow ratios 1.5 vs. 2.0, 279
- Microscopic polyangiitis (MPA), and henoch schonlein purpura (HSP) overlapping syndrome in a child with renal involvement, 270
- Microsomal triglyceride transfer protein, and apolipoprotein A-IV by enteral feeding in preterm piglet small intestine, 454
- Mitochondria-derived superoxides, in angiotensin II-induced skeletal muscle wasting (cachexia) and blood pressure increase, 336
- Mitochondrial depletion syndrome (MDS), associated with hypoplastic aortic arch, coarctation of the aorta and severe lactic acidosis, *SUCLA2* mutation, 215
- Mitochondrial encephalopathy lactic acidosis, stroke syndrome and, masquerading as headache, 52
- Mitral valve repair, hemolysis after, 40
- Mixed cryoglobulinemia, case report, 203
- Monoclonal antibody stimulation, in murine collagen induced arthritis, 325
- Morbidity
desaturation episodes, in ventilated extremely low birth weight neonates, 401
and mortality of neonatal urinary tract infections in full term, healthy neonates with varied treatment approaches, 315
- Mortality, and morbidity of neonatal urinary tract infections in full term, healthy neonates with varied treatment approaches, 315
- Motor vehicle accidents (MVAs), seat belt usage for safety in patients with extreme obesity, 127
- Multiple endocrine neoplasia type 1 (MEN1), differential diagnosis of recurrent primary hyperparathyroidism in elders, 132
- Multiple liver abscesses, due to *Yersinia enterocolitica*, case report, 191
- Murine collagen, induced arthritis, in vivo effects of therapeutic monoclonal antibody stimulation, 325
- Muscle regeneration, and satellite cells, angiotensin II, 422
- Mycobacterium avium intracellulare* (MAI), pulmonary, in child with primary ciliary dyskinesia (PCD), 31
- Mycobacterium avium-complex* infection, case report, 194
- Mycobacterium mucogenicum*, in case of granulomatous lung disease, case report, 193
- Mycophenolate mofetil, treatment of refractory anti-synthetase syndrome with, 69
- Myelodysplastic syndrome, case report, 181
- Myocardial bridging, case report on symptomatic ischemia from, 108
- Myocardial infarction, carbon monoxide (CO) poisoning and, 37
- Myocardial perfusion imaging, reclassification of cardiovascular risk in patient with normal, using heart rate response to regadenoson, 93
- Myocarditis
case report, 216
a case report on diagnosis of, in pediatric patient, 30
- Myocardium, nebivolol a beta blocker for salvaging in rats with aldosteronism, 2

N

- NADPH oxidase, and mitochondria-derived superoxides in angiotensin II-induced skeletal muscle wasting (cachexia) and blood pressure increase, 336
- Naproxen, overdose are gastrointestinal or central nervous system complications, 256
- NCC protein
abundance of urea transporters and aquaporin 2 change differently in nephrotic pair-fed versus non-pair-fed rats, 265
expression, aldosterone-mediated MAPK ERK1/2 signal pathway, 268
- Nebivolol
antioxidant properties of, salvaging myocardium in rats with aldosteronism by beta blocker, 2
cardioprotection from catecholamine-induced cardiomyocyte necrosis by, 91
for isoproterenol-induced acute stressor state, 92
- Necrosis and cardiac arrhythmias acute stressor states: cation dyshomeostasis, prolonged myocardial repolarization, 333
- Necrotizing enterocolitis (NEC)
transfusion associated mesenteric tissue oxygenation changes, 395
transfusion-related acute gut injury (TRAGI) carries a high mortality rate in infants less than 30 weeks' gestation at birth, 236
- Neonatal abstinence syndrome (NAS)
current status of the management and results of a national survey, 239
in infants exposed to buprenorphine, 512
- Neonatal cranial sinus thrombosis, central line placement, 232
- Neonatal hemochromatosis, hemophagocytic lymphohistiocytosis (HLH) presenting with liver failure in two newborn infants: overlap with neonatal iron storage disorder, 230
- Neonatal herpes simplex (HSV), long-term suppressive acyclovir therapy, 238
- Neonatal hyperoxia, Neurodevelopmental impairment (NDI), 302
- Neonatal Intensive Care Unit (NICU)
factor analysis of the Postpartum Depression Screening Scale (PDSS) with mothers of infants, 309
high dose vs. low dose erythromycin for feeding intolerance in preterm infants, 245
implementation of the 2010 CDC guidelines for the prevention of perinatal group B *Streptococcal* disease, 237
maternal human milk (MHM) for premature infants, 234
pathogenesis of acquired cytomegalovirus (CMV) infection in premature infants less than 30 weeks' gestational age, 231
- Neonatal iron storage disorder, hemophagocytic lymphohistiocytosis (HLH) presenting with liver failure in two newborn infants, 230
- Neonatal neutrophils following labor, gene expression of defensin is greatly upregulated in, 511
- Neonatal retinal disease, inflammatory mediators in the retina, 304
- Neonatal secondary hyperparathyroidism, 507
- Neonatal sepsis, case report, 198
- Neonatal urinary tract infections, morbidity and mortality, healthy neonates with varied treatment approaches, 315
- Neonate
Bacillus alvei meningoenzephalitis in, case report, 224
febrile, premature closure in, 21
Hepatitis in, case report, 189
lactobezoar in, 229
Nephrectomy, acute kidney injury, 277
Nephrogenic systemic fibrosis, the contribution of bone marrow-derived fibrocytes to skin lesions and association with L-cathepsin, 415
Netrin, indoleamine 2,3-dioxygenase (IDO) activity from ex vivo perfused human kidneys, 418
Neurocognitive outcomes, pediatric sickle cell disease indicators, 354
Neurodevelopmental impairment (NDI), following neonatal hyperoxia exposure, 302
Neurodisabilities who are tracheostomy dependent, retrospective analysis of respiratory cultures of individuals with, 492
Neurosyphilis, case report, 192
Neutropenia during outpatient parenteral antibiotic therapy (OPAT) in children, occurrence and associations of, 490
Neutrophil transepithelial migration, interferon-gamma (IFN γ) dependent regulation of sialyl Lewis x on CD44V6, 456
New Orleans, case report on Chagas cardiomyopathy in, 4
Nitric oxide, and carbon monoxide decrease transforming growth factor beta type I receptor surface expression through a dynamin 2 mediated process, 419
Nitric oxide synthase (n-NOS) expression, in antral muscularis in idiopathic versus diabetic gastroparesis, 345
NKCC2, protein abundance of urea transporters and aquaporin 2 change differently in nephrotic pair-fed versus non-pair-fed rats, 265
Noise reduction in ICU, randomized controlled trial of direct, 521
Non-hepatocellular carcinoma liver malignancies, and hepatitis C in veterans, 343
Non-small cell lung cancer (NSCLC), peptide H2009.1 uptake by α v β 6, 353
Non-traumatic spontaneous renal bleeding, tuberous sclerosis or Bourneville disease in patient with, 13
Normocytic B12 deficiency myth or reality, case report, 480

NRF2, prevents alcohol-induced transforming growth factor- β 1 expression in mouse fibroblasts, sulforaphane (SFP), 404

O

Obesity

alters gut microbiota in an elderly human cohort, 341
 care in the primary care setting, patient and provider attitudes toward, 544
 effect of BMI on endothelial function among adolescents, 56
 Oklahoma chapter AAP obesity toolkit, 378
 pediatricians' attitudes, barriers, and needs in managing childhood overweight and, 45
 prevalence rates of children entering foster care shelter in Oklahoma, 57
 seat belt usage for safety in patients with extreme, 127
 training on resident knowledge and perceptions, 374
 trends and related outcomes in black and white teens, 436

Obesity-related glomerulopathy (ORG), focal segmental glomerulosclerosis (FSGS) manifested by proteinuria and progressive renal dysfunction, 286

Obstructive sleep apnea (OSA), heart conduction disorders, 331

Oklahoma chapter AAP
 obesity toolkit, practical guide to assess and manage pediatric obesity, 378
 pediatricians, needs assessment survey on childhood overweight and obesity by, 45

Omphalocele, at Kosair children's hospital, 158

Oncogenic osteomalacia (OO), case report, 527

Ophthalmoplegia, case report, 209

Orexigenic neuroepitope expression, neurohormonal mechanisms that mediate Ang II-induced appetite suppression, 97

Oropharynx, risk factors of candida colonization in the, critically ill patients, 406

Orthostatic hypotension, midodine to treat, in a revascularized patient with CAD, 36

Osteitis pubis, case report on, 5

Osteonecrosis, spontaneous knee, bisphosphonates for treatment of, 128

Outpatient parenteral antibiotic therapy (OPAT) in children, occurrence and associations of neutropenia during, 490

Overweight
 effect of BMI on endothelial function among adolescents, 56
 prevalence rates of children entering foster care shelter in Oklahoma, 57

Oxidative stress
 in beta cells from diabetes prone NOD mice, 448
 and impaired pancreatic beta cell function, aldosteronism, 449
 role of angiotensin converting enzyme 2 in, 523

P

Palpitation, correlation between left ventricular ejection fraction and, in patients with atrial fibrillation, 82

Pancreatitis
 acute, casereport on, 18
 in association with transcatheter arterial chemoembolization, case report, 461

Papillary thyroid cancer, in toxic adenoma, 143

Papillogenesis, endogenous angiotensin (Ang) II, late metanephric development, 290

Paralysis, thyrotoxic periodic, a case report on, in an African American male, 10

Parasellar symptomatic granular cell tumors, Mississippi Medical Center experience in diagnosis, management and prognosis of, 135

Parathyroid hormone fusion protein, treatment of chemotherapy-induced alopecia in mice, 443

Parenteral nutrition-associated cholestasis (PNALD), use of enteral fish oil, (Lovazar), in infants with, 499

Parenting information, for low-income families in primary care, 310

Patent ductus arteriosus (PDA)
 antenatal steroids (ANS), reduce the frequency, 400
 hospital and provider characteristics associated with variation in management of, 160

Pathological cardiac hypertrophy, HDACs substrates in regulation of, 1

Patient disaster preparation, social service organizations changed policies and procedures to facilitate, 157

Patient identification band (PIB) error rates at a children's hospital, 471

Patient Protection and Affordable Care Act (PPACA), academic medical center, 556

Patient satisfaction, written daily objectives to pediatric patients during their inpatient hospitalization to improve, 50

Patient-perceived factors, impact of adherence to medications among adolescents, 60

Patients with substance use disorder (PSUD), gender differences in use of primary care services for, 164

Pax2, repression of the transcription factor and epigenetic regulator, in congenital renal dysgenesis secondary to gene environment interactions, 293

PBCSS, spectrum, 361

Pediatric advocacy curriculum, developing, 377

Pediatric emergency department, encephalitis presenting with stroke like symptoms in, 53

Pediatric idiopathic intracranial hypertension (IIH), due to albuminocytologic dissociation and autoimmune disorder, 388

Pediatric inpatient asthma, clinical pathway vs. usual care, 518

Pediatric intensive care unit, computer-based insulin infusion method, in management of diabetic ketoacidosis, 447

Pediatric low grade gliomas treated with radiation therapy, outcomes of, 482

Pediatric medical, and trauma resuscitation survey, 167

Pediatric obesity, Oklahoma chapter AAP obesity toolkit, 378

Pediatric renal clinic, medication adherence among adolescents in, 60

Pediatric sickle cell disease, indicators and neurocognitive outcomes, 354

Pediatric skull fractures, characteristics leading to admission, 318

Pediatric trauma, outcome after cardiac arrest, 407

Pediatrics
 intramuscular epinephrine for asthmaticus, 47
 needs assessment survey on overweight and obesity in, 45
 primary care, behavioral and mental health issues in, 51
 PTDM in renal transplant recipient, 61
 renal replacement therapy for a child with MMA, 49

Pelvic abscess, MRSA bacteremia secondary to, case report, 200

Pemphigus erythematosus, case report, 182

Peptide H2009.1, uptake by α v β 6 in non-small cell lung cancer cells, 353

Percutaneous peritoneal dialysis catheter insertion (PPDCI), outpatient procedure, 288

Percutaneous renal biopsy (PKB), safety and efficacy, hysian-in-training in an academic teaching setting, 262

Percutaneous transluminal coronary arteriography (PTCA), hypereosinophilia after, 6

Pericardial metastases, case report, 169

Periodic lateralized epileptiform discharges (PLED), case report, 210

Peripheral arterial disease
 calculation of ABI for, in diabetic patients, 86
 Kawasaki disease and possible risk of, 38

Peripheral tolerance, of recent thymic emigrants in a model of type I diabetes, 328

Peripherally inserted central catheters (PICCs), central line placement, neonatal cranial sinus thrombosis, 232

Peritoneal dialysis catheters (PDC), have been conventionally placed surgically by open laparotomy, 288

Peritonitis, case report, 187

Peroxisome proliferator-activated receptor γ (PPAR- γ), knockout exacerbates sepsis-induced acute lung injury, 403

Persistent asthma, leukotriene receptor antagonists (LTRA) are inferior to inhaled corticosteroids (ICS) in the management, 316

Phenotypic analysis
 of B cells in HLA*B44 positive discordant identical twins with common variable immunodeficiency and recurrent sino-pulmonary infection patients, 322
 of various B cell populations in common variable immunodeficiency, recurrent sino-pulmonary infection, and immunoglobulin deficient patients, 321

Pheochromocytoma
 diagnosis of, in healthy children with abnormally elevated blood pressure, 145
 metastatic malignant, I-131 MIBG ablation therapy for, 119

Philadelphia chromosome positive acute lymphoid leukemia (Ph+ ALL), case report, 178

Phosphorylation, of UT-A1 at serine 486, acute calcineurin inhibition with tacrolimus, 271

Physical activity (PA)
 in an after-school program, 163
 improved HDL cholesterol in Vietnamese Americans, 121
 in US adults, physicians and medical students, 545

Pituitary adenylate cyclase-activating polypeptide (PACAP), for prevention of contrast-induced nephrotoxicity, 532

- Pituitary macroadenoma, case of secondary ES due to involution of, 137
- Pneumomediastinum, subcutaneous calcifications and, case report on patient with dermatomyositis complicated by, 80
- Pneumonia (PNA)
failed therapy, respiratory bronchiolitis-associated interstitial lung disease (RB-ILD), 259
in hemodialysis patients, chest x-rays (CXR), 274
- Polyclonal hypergammaglobulinemia, associated with acute kidney injury, case report, 202
- Polycystic ovarian syndrome (PCOS), coronary endothelial dysfunction and cardiovascular performance, 451
- Polyhydramnios, and fetal ascites due to cytomegalovirus infection, 240
- Possible extension of visual pathway, alexia without agraphia, 385
- Postpartum Depression Screening Scale (PDSS), with mothers of infants in the neonatal intensive care unit (NICU), 309
- Post-transplant diabetes mellitus (PTDM), case report on, in pediatric renal transplant recipient, 61
- Pre B cell receptor (Pre BCR), selects for immunoglobulin heavy chains based on their CDR-H3 contents, 327
- Precocious puberty, hepatoblastoma causes, in female child, 148
- Prediabetes
cardiovascular dysfunction in, 124
pathobiology of, 122
- Predicting socio-emotional problems, in the first year of life, 440
- Prednisone, acute diarrhea, atopic patient, eosinophilic gastroenteritis, 349
- Preeclampsia (PreE) in hypertension during pregnancy, cardiotoxic steroid causes, 504
- Pre-ESRD care, urban, micropolitan, and rural patients, 280
- Pregnancy
cardiotonic steroid causes cerebral vascular leak syndrome in hypertension during, 504
in Mid-South, racial differences in diet patterns during, 497
prevention, communication between Asian-American adolescents and healthcare providers, 312
treatment of lupus nephritis with cyclophosphamide during, 77
- Premature closure, in febrile neonate's, 21
- Preventative care behavior, associations between health literacy, 151
- Prevotella bivia, fatal case of neonatal sepsis, 198
- Primary aldosteronism, atrial and ventricular arrhythmias in hypertensive patients with, 99
- Primary amyloidosis, prognosis and outcome of, 476
- Primary care pediatrics, behavioral and mental health issues in, 51
- Primary care provider (PCP), use of emergent room (ER) services for acute and regular medical care, 164
- Primary care setting, patient and provider attitudes toward obesity care in the, 544
- Primary ciliary dyskinesia (PCD), pulmonary MAI in child with, 31
- Primary clear cell adenocarcinoma, case report, 484
- Primary CNS angitis, workup and management of patient presenting with, as migranous headache, 72
- Primary fallopian tube carcinoma (PFTC), case report, 175
- Primary immunodeficiency (PID), clinical features, 432
- Primary intracardiac lymphoma, endovascular stenting and chemotherapy for, 115
- Procalcitonin, in the workup of febrile patients after acute CNS injury, 366
- Procrit, epoetin-associated pure red cell aplasia (PRCA) after treatment with, case report, 479
- Proliferating cells, dexamethasone (Dex) and hydrocortisone (HC), 399
- Protein kinase C (PKC) α , leads to impaired urine concentrating ability and decreased aquaporin-2 in angiotensin II-induced hypertension, 416
- Protein kinase C activation and cAMP accumulation in collecting duct M-1 cells, angiotensin II stimulates renin synthesis and secretion via, 526
- Proteinuria, and progressive renal dysfunction, obesity-related glomerulopathy (ORG), 286
- Proton pump inhibitors, effect on vitamin B12 levels, 452
- Proto-oncogene, is required for maintenance of the cap mesenchyme, 412
- PSA testing, in multiracial indigent men in S. Texas, 435
- Pubis, case report on pain in, 5
- Pulmonary exacerbation, the impact of vitamin D supplementation on markers of inflammation in CF adults hospitalized for, 500
- Pulmonary hypertension, effects of hypoxia and the PPAR γ ligand, rosiglitazone, on the expression of miRNAs involved in, 514
- Pulmonary vein isolation, diaphragmatic hernia during, for atrial fibrillation, 109
- Pure alexia, and the possible extended visual pathway, 385
- P53-Wnt signaling crosstalk, in kidney development, 278
- Pyomyositis, butt pain associated with, 15
- Pyroptocytosis, case report, 183

Q

- QTc prolongation
cardiac arrhythmias with, associated with hypokalemia, 88
hypokalemia and, frequency of admission for cardiac-and noncardiac-related reasons and use of diuretics, 100
with hypomagnesemia and associated hypokalemia, 87
severity of hypokalemia and associated hypomagnesemia in hospitalized patients with cardiac arrhythmias, 423
- Qualitative study, communication between Asian-American adolescents and healthcare providers about sexual activity, sexually transmitted infections, and pregnancy prevention, 312
- Quality of life (QOL), anxiety and family planning in inflammatory bowel disease (IBD), 455
- Quetiapine, electrocardiographic Brugada pattern induced by overdose of, 42

R

- Radiation therapy, outcomes of pediatric low grade gliomas treated with, 482
- Radiopaque media hypersensitivity, IgE-mediated mechanism in, 65
- Rapamycin, augments the anti-inflammatory effect of ketamine on macrophage responses to community-associated strains of methicillin-resistant *Staphylococcus aureus* (CA-MRSA), 430
- Rapid infant weight gain, factors associated with, 212
- Reach Out and Read (ROR) program, medical and educational intervention for young children and families, 311
- Reactive panniculitis, case report on tenosynovitis and, in older female, 67
- Readmission upon initial hospital assessment, prediction of patient's risk of 30-day, 551
- Recent thymic emigrant (RTE), peripheral tolerance, helps limit autoimmunity, 328
- Recurrent sino-pulmonary infections (RESPI) and common variable immunodeficiency (CVID), recurrent sino-pulmonary infection patients, phenotypic analysis of B cells in HLA*B44 positive discordant identical twins, 322
with normal serum immunoglobulins, phenotypic analysis of various B cell populations in common variable immunodeficiency, 321
- Red man syndrome, double exposure to ciprofloxacin and radiocontrast dye as precipitating factor for, 76
- Refractory anti-synthetase syndrome, treatment of, with mycophenolate mofetil, 69
- Refractory emesis, CHS in patients with, 7
- Refractory hypertension (RefHTN)
cardiohemodynamic changes in subjects, 297, 335
severity of sleep apnea similar, 273
- Renal cystic hypodysplasia, exhibit histone deacetylases (HDACs) 1 and 2 in the ureteric epithelium, 153
- Renal hemodynamics
chronic direct renin inhibition improves, in CYP1A1-REN2 transgenic rats with angiotensin II-dependent malignant hypertension, 411
in hypertensive CYP1A1-REN2 transgenic rats fed a sodium-deficient diet, 530
- Renal hypouricemia, in a child with Crohn's disease, 263
- Renal pulmonary complications, overlapping of microscopic polyangiitis (MPA) and henoch Schonlein purpura (HSP) in a child, 270
- Renal replacement therapy, severe metabolic acidosis and acute kidney injury in child with MMA, 49
- Renal transplant, case report on PTDM on pediatric, 61
- Repeat radiographic imaging, pediatric emergency department, 314
- Reperfusion injury, periodic lateralized epileptiform discharges (PLED), induced by, case report, 210
- Resident education, faculty-based ambulatory practices, 382

- Resident evaluation, data, impact of rotation characteristics on, 533
- Resident perceived stress, impact of new work hours, 373
- Resident perceptions, of the information transferred during hand-offs, 380
- Resident work hours, educational impacts, 372
- Residential behavior facility with on site pediatric generalists, decrease in off site care for, 475
- Resistant hypertension (RHTN)
cardiac autonomic neuropathy is predictive of mortality, 308
cardiohemodynamic changes in subjects, 297, 335
- Respiratory bronchiolitis-associated interstitial lung disease (RB-ILD), failed COPD/pneumonia treatment, 259
- Respiratory distress, case report on 14-month-old with cystic fibrosis and, 48
- Respiratory syncytial virus (RSV) infections of adults, effect of mucosal IgA antibody on detection of "culturable" RSV virus in experimental, 487
- Retina, and neonatal retinal disease, inflammatory mediators, 304
- Retinal pigment epithelium (RPE), endoplasmic reticulum stress in, role for modified lipoproteins in, in human diabetes, 126
- Retinoid signaling genes, linked to congenital diaphragmatic hernia, 300
- Rheumatoid arthritis (RA)
high serologic and inflammatory markers in, associated with worse pain and functional status, 74
in vivo effects of therapeutic monoclonal antibody stimulation in murine collagen, 325
- Rheumatoid factor (RF), isotypes in RNP positive patients, 427
- Ribonucleoprotein (RNP), positive patients, rheumatoid factor (RF), 427
- Right ophthalmic artery aneurysm (ROAA), case report on importance of history and physical examination of, 19
- Risk factors
of candida colonization in the oropharynx of critically ill patients, 406
chronic kidney disease (CKD), in a nursing home population of Louisiana, 261
hyperkalemia and death in patients with cardiac and renal disease, 272
- Rituximab, in treating hepatitis C associated cryoglobulinemic membranoproliferative glomerulonephritis in a patient with combined liver and kidney transplant, 291
- Rosai-Dorfman disease (RDD), as a soft tissue tumor of the lower limb, case report, 483
- Rota-virus diarrhea, case report, 188
- S**
- Sacral agenesis, case report, 220
- Salt-deficient diet, does not attenuate the development of slowly progressive ANG II-dependent hypertension in Cyp11a1-Ren2 transgenic rats, 267
- San Antonio HIV Cohort (SAHIV), assessing quality of care measures for hypertension and dyslipidemia in an HIV clinic, 370
- Sarcoidosis
associated with mycobacterium avium-complex infection, case report, 194
case report, 70, 205
- Satellite cells, and muscle regeneration, angiotensin II, 422
- SCC, spectrum, 361
- Scimitar syndrome, causing dyspnea on exertion, 105
- Seat belt, safety in patients with extreme obesity, 127
- Selenocysteine-dependent translation, role of, IGF-1 regulation of glutathione peroxidase 1 (GPx-1) expression, 95
- Septo-optic dysplasia in an infant, case report, 228
- Serologic markers, inflammatory and, in rheumatoid arthritis associated with worse pain and functional status, 74
- Serum troponin-I
elevated, in patients with clinically decompensated heart failure, 90
responses in patients with clinically compensated and decompensated phases of heart failure, 101
- Sex differences, in hyperoxic lung injury: role of cytochrome P450 (CYP) 1A and inflammation, 303
- Sexual activity, communication between Asian-American adolescents and healthcare providers, 312
- Sexually transmitted infections (STIs), communication between Asian-American adolescents and healthcare providers, 312
- Sickle cell disease (SCD)
discrepancies in pain reporting between pediatric patients, 355
indicators and neurocognitive outcomes, 354
- Sinus node dysfunction (SND), heart conduction disorders are associated with obstructive sleep apnea, 331
- Sinus rhythm, spontaneous conversion of atrial fibrillation into, 112
- Sinusitis, GPA is important to permit initiation of therapy that may be life-saving and organ sparing, 287
- Skeletal muscle wasting (cachexia), differential requirement for NADPH oxidase-and mitochondria-derived superoxides in angiotensin II, 336
- Skin disease, SLE patients in primarily African-American cohort at the University of Mississippi Medical Center, 428
- Skin lesions, L-cathepsin, nephrogenic systemic fibrosis, the contribution of bone marrow-derived fibrocytes, 415
- Skin necrosis, case report of, enoxaparin associated, 14
- Skull fractures, characteristics leading to admission, 318
- Sleep apnea, similar in resistant and refractory hypertension, 273
- Sleep patterns in patients referred to a dietitian, 503
- Sleep quality, influence quality of life, job performance, and medical disorders, 387
- Sleep quantity, influence quality of life, job performance, and medical disorders, 387
- Sly syndrome, liver arteriovenous malformation, hydrops, 243
- Smoking cessation, counseling on, in resident clinic, 150
- Soft tissue sarcoma, case report, 169
- Solumedrol, immunotherapy treatment for drug-refractory gastroparesis, 346
- Sorafenib, causing immune thrombocytopenic purpura, 360
- Southern Louisiana, reversed seasonal variation in maternal vitamin D levels in, 141
- SPAK signal pathway, aldosterone-mediated MAPK ERK1/2 signal pathway is involved in modulating NCC expression, 268
- Spirometry measurements in a cohort of patients who underwent pulmonary function testing, evaluation of, 516
- Spleen tyrosine kinase (Syk), inhibits T cell responses to an analog peptide of type II collagen, 426
- Spontaneous conversions of permanent AF after CRT implantation, 112
- Squamous cell carcinoma, malignant transformation of trichilemmal cyst to, case report, 485
- Staphylococcus aureus, sepsis in a neonatal intensive care unit, demographics and clinical characteristics of, 509
- Statin intolerance, hypovitaminosis D in association with, 501
- Stem cell/bone-marrow-transplantation (SCT), hematological malignancies; A single center retrospective analysis, 357
- Storm, acute myocardial infarction (AMI), 330
- Streptococcus pneumoniae spinal epidural abscess, case report, 199
- Stroke
coronary artery anomaly and, association of, 104
delayed treatment of thrombotic thrombocytopenic purpura in, 179
mitochondrial encephalopathy lactic acidosis and, masquerading as headache, 52
- Stromal interaction molecule 1 (STIM 1), governs L-type calcium influx in cardiac myocytes, 296, 306
- Strongyloides stercoralis, case report, 196
- Subclavian steal syndrome, evaluation of neck vessels and CT angiography for, during hemodialysis, 114
- Successful ward attending rounds, pair wise comparison of domains that contribute to, 535
- SUCLA2 mutation, related mitochondrial depletion syndrome associated with hypoplastic aortic arch, coarctation of the aorta and severe lactic acidosis, 215
- Sulfonylurea ingestion, children with hypoglycemia on, 27
- Sulforaphane (SFP), an activator of NRF2, prevents alcohol-induced transforming growth factor- β 1 expression in mouse fibroblasts, 404
- Surfactant proteins (SP), inflammatory mediators in the retina and neonatal retinal disease, 304
- Syngomyelia, case report, 208
- Systemic corticosteroid therapy, severe pemphigus erythematosus resistant to, 182
- Systemic lupus erythematosus (SLE)
case report on, with lupus nephritis, 75
influence of age, disease onset in the development of renal disease, 326
lupus sera alters eNOS function in human aortic endothelial cells, 431
patients, skin disease, in primarily African-American cohort at the

University of Mississippi Medical Center, 428
 Systemic mastocytosis, case report, 174
 Systemic sclerosis (SSc), to the World Health Organization's (WHO) International Classification of Functioning, Disability and Health (ICF), 433
 Systolic heart failure, responses in brain natriuretic peptide during clinically decompensated and compensated phases, 337

T

T wave alternans, striking sequelae of, 106
 Tacrolimus, increases phosphorylation of UT-A1 at serine 486, acute calcineurin inhibition, 271
 Takotsubo cardiomyopathy (TTC)
 Mayo Clinic diagnostic criteria for, 111
 nationwide analysis on chronobiology of, 103
 TCR CDR β 3 diversity, role of D β germline sequence, on constraining, 320
 Teen driving behaviors, in a rural southern state, 437
 Tegmental pontine syndrome, case report, 17
 Telemedicine, effects on asthma knowledge and self-efficacy, 329
 Tenosynovitis, case report on reactive panniculitis and, in older female, 67
 Tetralogy of Fallot, in systolic blood pressure response to exercise and sleep, 214
 Th17 cells
 are increased in the lungs of older mice, 324
 developmental regulation, human neonates, 301
 Thanatophoric dysplasia(TD), dwarf fetus, 233
 Therapeutic hypothermia (TH), glucose levels, with temperature changes, in pediatric population admitted to pediatric intensive care unit, 409
 Thermal burn injury, hypokalemia and hypomagnesemia in patients hospitalized with, 89
 Third-trimester baboon lung explants, dexamethasone (Dex), and a novel glucocorticoid on angiogenic growth factors, 398
 Thrombocytopenia, associated with Cow's milk protein allergy (CMPA), case report, 222
 Thrombophlebitis, *Bacillus* sp. sepsis and, in IV drug abuser patient, 20
 Thrombotic microangiopathy (TMA), and lupus, an elusive unifying diagnosis, 285
 Thrombotic thrombocytopenic purpura, case report, 179
 Thyroid cancer, papillary, in toxic adenoma, 143
 Thyrotoxic periodic paralysis (TPP)
 in an African-American male, 10
 recognition and treatment of, 131
 Thyrotoxicosis, HPP associated, in non-Asian patient, 125
 Tinea pedis, in adolescents, 44
 TLR receptors, inflammatory mediators in the retina and neonatal retinal disease, 304
 Tobacco, acrolein suppresses EPC levels in human with CVD risk, 3
 Tophaceous gout, case report on severe, 63
 Tornadoes, prevention of child injuries, 439
 Torus hyperplasia, case report, 172

Transcatheter arterial chemoembolization (TACE), GI ulceration and pancreatitis in association with, case report, 461
 Transesophageal electrophysiology, atrial fibrillation with adenosine induction of, case report, 226
 Transforming growth factor beta-1 (TGF- β 1) expression NRF2, prevents, sulforaphane (SFP), 404
 induced fibroblast to myofibroblast differentiation, arsenic trioxide (ATO), 405
 Transforming growth factor-beta (TGF- β) interleukin-13 (IL-13), differential effects, 408
 type I receptor surface expression through a dynamin 2 mediated process, nitric oxide and carbon monoxide, 419
 Transfusion-related acute gut injury (TRAGI), carries a high mortality rate in infants less than 30 weeks' gestation at birth, 236
 Transfusions, effects of feedings, and the age of blood transfused, 395
 Transient ischemic attack (TIA), limb shaking, 391
 Traumatic brain injury (TBI), structural and functional connectivity in cognitive and affective networks, 383
 Troponin, heart stroke, without underlying cardiac disease, 250
 Troponin-I (trop-I), acute stressor states: cation dyshomeostasis, prolonged myocardial repolarization with cardiac arrhythmias and necrosis, 333
 Tuberculosis (TB)
 contact investigation at a rural worksite, 442
 in the country of Georgia, risk factors for delays in diagnosis of, 489
 a pilot study of the pharmacokinetics of anti-tuberculosis drugs in, 184
 Tuberos sclerosis, non-traumatic spontaneous renal bleeding in patient with, 13
 Tumor Necrosis Factor Receptor-1 Associated Periodic Syndrome (TRAPS), associated with incomplete Kawasaki disease (KD), case report, 223
 Tunneled hemodialysis catheters (TDC), removal should be an integral part of competent nephrology training, 283
 Type 1 diabetes
 peripheral tolerance of recent thymic emigrants in a model, 328
 role of oral hypoglycemic agents in management of, 147
 Type 2 diabetes mellitus
 among relatively young black and white adults in a community, 340
 impact of U-500 insulin use in, 130
 Type II collagen, genetic deficiency of Syk inhibits T cell responses to an analog peptide, 426

U

U-500 insulin, impact on type 2 diabetes, 130
 Upper gastrointestinal bleeding, platelet function assays in the management of, 462
 Urea transporters, and aquaporin 2 change differently in nephrotic pair-fed versus non-pair-fed rats, 265
 Uric acid (UA), renal hypouricemia in a child with Crohn's disease, 263

Urinary biomarkers, in predicting patient outcome and renal recovery in early acute kidney injury, 275
 Urinary neutrophil gelatinase associated lipocalin (N-GAL), in experimental diabetes, 269
 Urinary tract abnormalities, in CD151 trafficking deficient mutant transgenic mice, 414
 US emergency department, visits for maltreatment among children 0 to 3 years of age, 159
 UT-A1 at serine 486, acute calcineurin inhibition with tacrolimus increases phosphorylation, 271

V

Vaccination, acceptance and compliance of HPV, in inner-city indigent male and female adolescents, 58
 Vaccine, awareness and knowledge of HPV, 55
 Vagus nerve, stimulation is a cause of vasovagal syncope, 252
 Valproate induced non-hepatic encephalopathy (VNHE), a case report on, 9
 Vascular compliance, comparison of multiple instruments measuring, related to LVH, 102
 Vascular smooth muscle cell, modulation of, IGF-1 mechanism responsible for, 96
 Vasculitis, cutaneous, bullous reaction on bedbug bites reflect, 64
 Vasovagal syncope, vagus nerve stimulation is a cause, 252
 Ventilated neonates, desaturation episodes in ventilated extremely low birth weight neonates are associated with increased morbidity, 401
 Ventral septal defect (VSD) repair, risk of VT in patient with previous, 107
 Ventricular tachycardia (VT)
 acute onset of, in child with HUS, 23
 in congenital left ventricular aneurysm, 41
 risk of, in patient with previous ventral septal defect (VSD) repair, 107
 Vertebral artery aneurysms/dissections, case report, 207
 Very low birth weight (VLBW), developmental regulation of Th17 capacity in human neonates, 301
 Very low birth weight infant (VLBWI) early lipid administration in, 496
 vitamin D status from birth to term age in a racially-diverse, 498
 Veterans
 incidence of celiac disease in iron deficiency anemia, 342
 non-hepatocellular carcinoma liver malignancies and hepatitis C, 342
 Vetriculo-peritoneal (VP) shunt, unusual cause of abdominal abscess in child with, 35
 Vevo2100, high resolution ultrasound imaging in neonates, initial observations and limitations, 247
 Vietnamese Americans
 impaired metabolic flexibility in, 133
 increased physical activity improves HDL cholesterol in, 121
 Viral myocarditis caused by influenza A, case report, 197

- Visual word form area (VWFA), alexia without agraphia and the possible extended visual pathway, 385
- Vitamin A pathway genes, linked to congenital diaphragmatic hernia, 300
- Vitamin B12 deficiency, case report, 481
levels, metformin and proton pump inhibitors effect, 452
- Vitamin D
from birth to term age in a racially-diverse very low birth weight infant cohort, 498
deficiency and associated predictors for vitamin D levels among HIV positive women, 364
deficiency in chronic kidney disease, resistance to correction of, 525
in endothelial cells, inhibition of endoplasmic reticulum stress, 450
insufficiency, Methicillin-resistant *Staphylococcus aureus* (MRSA) infection, 363
- in preterm infants from birth to term age, 495
reversed seasonal variation in levels of maternal, 141
statin intolerance, 501
supplementation in patients with early stage chronic kidney disease: a randomized, placebo-controlled trial to increase circulating 25-hydroxyvitamin D and prevent secondary hyperparathyroidism, 444
supplementation on markers of inflammation in CF adults hospitalized for pulmonary exacerbation, the impact of, 500
- Voiding cystourethrogram (VCUG), incidental diagnosis of sacral agenesis on, 220
-
- W**
-
- Wallenberg syndrome
case report, 211
phenotypic variability of, 217
- 16-Week internal medicine-emergency medicine, clerkship, 534
Wegener's granulomatosis, a case report on, in 15 year old female, 24
Weight management program, 12 week family, for children's to reduce BMI, 46
Wellens warning, of anterior precordial lead terminal T wave inversion, 117
Wnt signaling pathway, p53 during nephrogenesis, 278
Written communication, for patient satisfaction during their inpatient hospitalization at Children's Hospital of Oklahoma, 50
Wunderlich's syndrome, tuberous sclerosis or Bourneville disease in patient with, 13
-
- Y**
-
- Yersinia enterocolitica*, case report, 191